

Units of moisture measurement and their conversions

Established moisture measuring instruments (like GMH3830 before V1.4) are displaying the material moisture relative to the dry weight of a material. In practice other units are used, too, especially the wet basis moisture content. The display of newer instruments (like GMH3830 V1.4 or GMR100) can be switched to both units.

Moisture content MC or u (relative to dry weight) = dry basis moisture content

Most common unit for moisture measuring instruments. The unit is %, sometimes used: % MC. The unit expresses the moisture content like calculated below:

$$\text{Moisture content } u [\%] = (\text{weight}_{\text{wet}} - \text{weight}_{\text{dry}}) / \text{weight}_{\text{dry}} * 100$$

Or:

$$\text{Moisture content } u [\%] = (\text{weight}_{\text{water}}) / (\text{weight}_{\text{dry}}) * 100$$

weight_{wet}: weight of the wet material

weight_{water}: weight of water in the wet material

weight_{dry}: oven-dry weight of material

Examples: 1kg of wet wood, which contains 500g of water has a moisture content u of 100%

1kg of wet wood, which contains 200g of water has a moisture content u of 25%

Wet-Basis Moisture Content w (relative to total weight)

The wet-basis moisture content expresses the ratio of the mass of water to the total mass of the substance. The ratio is represented by the following equation (the unit is % as well):

$$\text{wet-basis moisture } w [\%] = (\text{weight}_{\text{wet}} - \text{weight}_{\text{dry}}) / \text{weight}_{\text{wet}} * 100$$

Or:


$$\text{wet-basis moisture } w [\%] = (\text{weight}_{\text{water}}) / \text{weight}_{\text{wet}} * 100$$

Conversion meter display u -> wet-basis moisture w

$$\text{wet-basis moisture } w [\%] = 100 * \text{Moisture content } u [\%] / (100 + \text{Moisture content } u [\%])$$

Examples: 1kg of wet wood, which contains 500g of water has a moisture content u of 50%

1kg of wet wood, which contains 200g of water has a moisture content u of 20%



rarely used:

Dry-Content

The unit is % again.

$$\text{dry content}[\%] = \text{weight}_{\text{dry}} / \text{weight}_{\text{wet}} * 100$$

Conversion meter display u -> dry content

$$\text{dry content}[\%] = 10000 / (100 + \text{Moisture content } u[\%])$$

Examples: 1kg of wet wood, which contains 500g of water has a moisture content u of 50%
 1kg of wet wood, which contains 200g of water has a moisture content u of 80%